Abdominal Hernias in Dogs

What is an Abdominal Hernia?

An abdominal hernia is when a part of your dog's internal organs or tissues pushes through a weak spot in their abdominal (belly) wall. These can happen for different reasons, like being born with it (congenital) or from trauma (for example, being hit by a car). Depending on the type and size of the hernia, treatment options vary from monitoring to surgery.

Types of Hernias

1.Ventral Hernias (on the underside of the belly):

-Umbilical Hernias: Commonly seen in puppies, umbilical hernias occur near the belly button. Many are small and harmless, closing up on their own by six months of age. If the hernia is larger or causing problems, surgery might be needed to prevent serious issues like organs getting trapped.

-Prepubic Hernias: These hernias are often caused by trauma (such as a car accident or a dog fight) and occur lower in the abdomen. Because they can involve serious damage to muscles, surgery is usually required to repair them.

2.Lateral Hernias (on the side of the body):

-These are also typically caused by accidents or trauma and occur on the side of the abdomen near the ribs. Surgery is usually needed to fix the torn muscles.

3.Caudal Hernias (in the groin area):

-Inguinal Hernias: These hernias occur in the groin and may be present from birth or caused by trauma. In some puppies, these hernias may go away on their own by three months. However, if they persist or cause problems, surgery is usually needed.

-Scrotal Hernias: These occur in male dogs and can be serious, requiring immediate surgery because of the high risk of organs getting trapped.

-Femoral Hernias: These are rare and often happen after trauma. Surgery is needed to repair the damaged muscles while being careful to avoid important blood vessels and nerves in the area.

Treatment Options

• Small Umbilical Hernias: These hernias often close up on their own by six months of age. In these cases, your vet will monitor your dog to make sure it heals properly.

• Surgery: For larger hernias or ones that are at risk of causing problems, surgery is necessary. During surgery, the vet will close the hernia with stitches, and if the tissue is weak, a special surgical mesh may be used to strengthen the area.

• Neutering: For hernias that your dog was born with, neutering (spaying or castrating) is often recommended to prevent passing on the condition.

What to Expect After Surgery

After hernia surgery, it's important to keep your dog calm and avoid vigorous activity to allow the area to heal properly. Your vet will likely schedule follow-up visits to check that everything is healing well and that there are no complications like infections or the hernia coming back.

What is the recovery time after surgery?

After hernia surgery, the typical recovery time for dogs is about 10 to 14 days. However, this can vary depending on the size and type of hernia and how extensive the surgery was.

During this recovery period:

• Rest and limited activity are important. Your dog should avoid running, jumping, or playing to prevent any strain on the surgery site.

• Keep the incision clean and dry and follow your vet's instructions for monitoring the surgical site for any signs of infection, such as swelling, redness, or discharge.

• Follow-up visits with your vet will be necessary to ensure proper healing and check for any complications.

By the end of the two weeks, most dogs have healed well and can return to their normal activities, but your vet will give you specific guidance based on your dog's progress. In cases of more complex surgeries, such as those involving mesh reinforcement, the recovery time may be slightly longer.

VETERINARY SPECIALIST ADVICE

© 2025 Veterinary Specialist Advice (VSA). All rights reserved.Educational use only; VSA and its authors are not responsible for outcomes and this does not replace professional veterinary judgment.


Abdominal Hernias in Dogs

Are there any complications after hernia surgery?

Yes, while hernia surgery is generally safe, there are some potential complications to be aware of. Most dogs recover well, but it's important to monitor for any issues during the recovery period. Possible complications include:

1. Infection: The surgical site could become infected, leading to redness, swelling, or discharge. Your vet may prescribe antibiotics to prevent or treat this.
2. Seroma: This is a collection of fluid that can build up under the skin near the surgical site. It's usually harmless and may go away on its own, but in some cases, it might need to be drained.
3. Hernia Recurrence: Although rare, the hernia can reopen if the repair doesn't heal properly or if the dog becomes too active too soon after surgery. Following your vet's instructions for rest is crucial to avoid this.
4. Pain or Discomfort: After surgery, your dog may feel some discomfort, which can be managed with pain medication prescribed by the vet.
5. Swelling or Bruising: Mild swelling or bruising around the incision area is common and usually resolves on its own within a few days. However, if it worsens, consult your vet.
6. Internal Damage: In rare cases, if the hernia was complicated and involved organs, there can be some damage or complications with internal organs. This is more common with larger or more complex hernias.

If you notice any unusual symptoms, like lethargy, vomiting, difficulty breathing, or signs of pain that don't seem to improve, contact your vet right away for advice. Proper post-surgery care and following all your vet's instructions will help reduce the risk of complications.



1 LATERAL
2 VENTRAL
3 INGUINAL
4 PREPUBIC
5 FEMORAL
6 UMBILICAL
7 SCROTAL

(MODIFIED FROM SMEAK DD: ABDOMINAL HERNIAS. IN SLATTER DH, EDITOR: TEXTBOOK OF SMALL ANIMAL SURGERY, ED 3, PHILADELPHIA, 2003, SAUNDERS/ELSEVIER)

VETERINARY SPECIALIST ADVICE

© 2025 Veterinary Specialist Advice (VSA). All rights reserved.Educational use only; VSA and its authors are not responsible for outcomes and this does not replace professional veterinary judgment.